

Having therefore described the invention, it is claimed:

1. A holder for goods comprising:
  - a front panel;
  - a bottom panel connected to said front panel;
  - a back panel connected to said bottom panel;
  - said front panel including a brace section connected to said back panel; and
  - said brace section including a flap.
2. The holder of claim 1, wherein said front panel further comprises an opening.
3. The holder of claim 2, wherein said brace section is connected to said front panel along an edge of said opening.
4. The holder of claim 1, wherein said flap extends downwardly from said brace section toward said front panel.
5. The holder of claim 2, wherein said flap is capable of contacting said front panel below said opening.
6. The holder of claim 1, wherein one of said brace section and back panel includes at least one notch and the other of said back panel and brace section includes a support tab.

7. The holder of claim 6, wherein said support tab and notch are releasably engageable to connect said brace section to said back panel.
8. A holder for goods comprising:
  - a front panel including an opening;
  - a bottom panel connected to said front panel;
  - a back panel connected to said bottom panel and front panel and a flap connected to said back panel extending toward said front panel.
9. The holder of claim 8, wherein said flap extends downwardly from said back panel to said front panel.
10. The holder of claim 8, wherein said flap extends downwardly from said back panel to said front panel below said opening.
11. The holder of claim 8, wherein said flap is capable of contacting said front panel below said opening.
12. The holder for goods comprising:
  - a front panel;
  - a bottom panel connected to said front panel;
  - a back panel connected to said bottom panel and said front panel;
  - a flap extending from said bottom panel upward toward said front panel.

13. The holder of claim 12, wherein said front panel further includes an opening.
14. The holder of claim 13 wherein said flap is capable of contacting said front panel below said opening.
15. A holder for goods comprising:
  - an elongated sheet having first, second, third and fourth transverse score lines, said first score line being bent to form a front panel and a bottom panel, said second score line being bent to form a rear panel, said third score line on said front panel being bent to form a brace section, said fourth score line on said brace section being bent to form a flap;
  - a connecting means for connecting said brace section to said rear panel.
16. The holder of claim 15, wherein said flap extends downwardly from said brace section toward said front panel.
17. The holder of claim 16, wherein said flap is capable of contacting said front panel.
18. The holder of claim 15, wherein said brace section being bent on said third score line of said front panel defines an opening on said front panel.

19. The holder of claim 18, wherein said flap extends downwardly from said brace section toward said front panel and is capable of contacting said front panel below said opening.

20. The holder of claim 15, wherein said connecting means includes a support tab on one of said brace section and rear panel and at least one notch on the other of said brace section and said rear panel for connecting said brace section to said rear panel.